


**O RING
FACE SEAL**



HOSE SIZE		THRD SIZE	TUBE SIZE	DASH SIZE	BACK UP Af		FEMALE HEX		ORFS FEMALE				
DN	inch	inch	inch		Af-SPANNER		Hf-SPANNER		PART NO	CA		L	
					inch	mm	inch	mm		inch	mm	inch	mm
6	1/4	9/16	1/4	-0409	1/2		11/16		T2800-0409	1.14	29	2.17	55
						12	3/4	17	T2801-0409				
6	1/4	11/16	3/8	-0411	1/2		7/8		T2800-0411	1.22	31	2.20	56
						12		22	T2801-0411				
8	5/16	11/16		-0511		14	7/8	22	T2800-0511	1.26	32	2.24	57
10	3/8	9/16	1/4	-0609	5/8	16	11/16		T2800-0609	1.22	31	2.20	56
								3/4	17				
10	3/8	11/16	3/8	-0611	5/8	16	7/8	22	T2800-0611	1.26	32	2.24	57
10	3/8	13/16	1/2	-0613	5/8	16	15/16	24	T2800-0613	1.38	35	2.36	60
12	1/2	11/16	3/8	-0811	3/4	19	7/8	22	T2800-0811	1.30	33	2.28	58
12	1/2	13/16	1/2	-0813	3/4	19	15/16	24	T2800-0813	1.42	36	2.40	61
12	1/2	1	5/8	-0816	3/4	19	1.1/8		T2800-0816	1.50	38	2.48	63
								1.3/16	30				
12	1/2	1.3/16	3/4	-0819	3/4	19	1.3/8		T2800-0819	1.65	42	2.60	66
									36				
16	5/8	1	5/8	-1016	7/8	22	1.1/8		T2800-1016	1.38	35	2.60	66
									30				
16	5/8	1.3/16	3/4	-1019	7/8	22	1.3/8		T2800-1019	1.50	38	2.72	69
									36				
19	3/4	1	5/8	-1216	1.1/16	27	1.1/8		T2800-1216	1.54	39	2.68	68
									30				
19	3/4	1.3/16	3/4	-1219	1.1/16	27	1.3/8		T2800-1219	1.65	42	2.83	72
									36				
19	3/4	1.7/16	1	-1223	1.1/16	27	1.5/8	41	T2800-1223	1.65	42	2.80	71
25	1	1.3/16	3/4	-1619	1.1/4	32	1.3/8		T2800-1619	1.61	41	2.83	72
									36				
25	1	1.7/16	1	-1623	1.1/4	32	1.5/8	41	T2800-1623	1.61	41	2.83	72
31	1.1/4	1.11/16	1.1/4	-2027	1.5/8	41	2	50	T2800-2027	1.89	48	3.82	97
38	1.1/2	2	1.1/2	-2432	2	50	2.1/4	57	T2800-2432	2.32	59	4.33	110

O RING
FACE SEAL

HOSE SIZE		THRD SIZE	DASH SIZE	BACK UP A _F		FEMALE HEX		ORFS FEMALE				
DN	inch	inch		A _F -SPANNER		H _F -SPANNER		PART NO	C _A		L	
				inch	mm	inch	mm		inch	mm	inch	mm
10	3/8	11/16	-0611	5/8	16	7/8	22	T7800-0611	1.26	32	2.44	62
				5/8	16	7/8	22	T7801-0611				
10	3/8	13/16	-0613	5/8	16	15/16	24	T7800-0613	1.38	35	2.56	65
12	1/2	13/16	-0813	3/4	19	15/16	24	T7800-0813	1.42	36	2.52	64
12	1/2	1	-0816	3/4	19	1.1/8		T7800-0816	1.50	38	2.60	66
				3/4	19	1.3/16	30	T7801-0816				
12	1/2	1.3/16	-0819	3/4	19	1.3/8		T7800-0819	1.65	42	2.72	69
				3/4	19		36	T7801-0819				
16	5/8	1	-1016	15/16	24	1.1/8		T7800-1016	1.38	35	2.64	67
				15/16	24	1.3/16	30	T7801-1016				
19	3/4	1	-1216	1.1/16	27	1.1/8		T7800-1216	1.54	39	2.76	70
				1.1/16	27	1.3/16	30	T7801-1216				
19	3/4	1.3/16	-1219	1.1/16	27	1.3/8		T7800-1219	1.65	42	2.87	73
				1.1/16	27		36	T7801-1219				
19	3/4	1.7/16	-1223	1.1/16	27	1.5/8	41	T7800-1223	1.65	42	2.87	73
25	1	1.7/16	-1623	1.1/4	32	1.5/8	41	T7800-1623	1.61	41	3.31	84
25	1	1.11/16	-1627	1.1/4	32	2	50	T7800-1627	1.73	44	3.43	87
31	1.1/4	1.7/16	-2023	1.5/8	41	1.5/8	41	T7800-2023	2.13	54	4.13	105
31	1.1/4	1.11/16	-2027	1.5/8	41	2	50	T7800-2027	1.89	48	3.90	99
38	1.1/2	2	-2432	2	50	2.1/4	57	T7800-2432	2.32	59	4.53	115

O RING
FACE SEAL

HOSE SIZE		THRD SIZE	TUBE SIZE	DASH SIZE	BACK UP A _F		FEMALE HEX		ORFS FEMALE				
DN	inch	inch	inch		A _F -SPANNER		H _F -SPANNER		PART NO	C _A		L	
					inch	mm	inch	mm		inch	mm	inch	mm
19	3/4	1.3/16	3/4	-1219	1.1/16	27	1.3/8		T6800-1219	1.73	44	3.78	96
							36		T6801-1219				
19	3/4	1.7/16	1	-1223	1.1/16	27	1.5/8	41	T6800-1223	1.69	43	3.74	95
25	1	1.7/16	1	-1623	1.1/4	32	1.5/8	41	T6800-1623	1.65	42	4.21	107
25	1	1.11/16	1.1/4	-1627	1.1/4	32	2	50	T6800-1627	1.73	44	4.29	109
31	1.1/4	1.11/16	1.1/4	-2027	1.11/16		2	50	T6800-2027	1.85	47	4.53	115
38	1.1/2	2	1.1/2	-2432	2.3/16	55	2.1/4	57	T6800-2432	2.52	64	5.98	152