



ORFS

T2840

O RING  
FACE SEALHOSE  
SIZETHRD  
SIZETUBE  
SIZEDASH  
SIZEMALE  
HEXORFS  
MALE

DN	inch	inch	inch		HM-SPANNER		PART NO	CA		L	
					inch	mm		inch	mm	inch	mm
6	1/4	9/16	1/4	-0409	5/8	16	<b>T2840-0409</b>	1.22	31	2.24	57
6	1/4	11/16	3/8	-0411	3/4	19	<b>T2840-0411</b>	1.30	33	2.28	58
10	3/8	11/16	3/8	-0611	3/4	19	<b>T2840-0611</b>	1.34	34	2.32	59
10	3/8	13/16	1/2	-0613	7/8	22	<b>T2840-0613</b>	1.46	37	2.44	62
10	3/8	1	5/8	-0616	1.1/16	27	<b>T2840-0616</b>	1.54	39	2.52	64
12	1/2	13/16	1/2	-0813	7/8	22	<b>T2840-0813</b>	1.50	38	2.48	63
12	1/2	1	5/8	-0816	1.1/16	27	<b>T2840-0816</b>	1.65	42	2.64	67
16	5/8	1	5/8	-1016	1.1/16	27	<b>T2840-1016</b>	1.57	40	2.76	70
16	5/8	1.3/16	3/4	-1019	1.1/4	32	<b>T2840-1019</b>	1.69	43	2.91	74
19	3/4	1.3/16	3/4	-1219	1.1/4	32	<b>T2840-1219</b>	1.85	47	3.03	77
19	3/4	1.7/16	1	-1223	1.1/2	38	<b>T2840-1223</b>	2.05	52	3.19	81
25	1	1.7/16	1	-1623	1.1/2	38	<b>T2840-1623</b>	2.01	51	3.23	82
31	1.1/4	1.11/16	1.1/4	-2027	2	50	<b>T2840-2027</b>	2.28	58	4.21	107

**ORFS****T7840****O RING  
FACE SEAL**

HOSE SIZE	THRD SIZE	TUBE SIZE	DASH SIZE	MALE HEX	ORFS MALE
-----------	-----------	-----------	-----------	----------	-----------

DN	inch	inch	inch		H <sub>M</sub> -SPANNER		PART NO	C <sub>A</sub>		L	
					inch	mm		inch	mm	inch	mm
10	3/8	11/16	3/8	-0611	3/4	19	<b>T7840-0611</b>	1.34	34	2.52	64
12	1/2	13/16	1/2	-0813	7/8	22	<b>T7840-0813</b>	1.50	38	2.56	65
19	3/4	1.3/16	3/4	-1219	1.1/4	32	<b>T7840-1219</b>	1.85	47	3.07	78
25	1	1.7/16	1	-1623	1.1/2	38	<b>T7840-1623</b>	2.01	51	3.70	94
31	1.1/4	1.11/16	1.1/4	-2027	2	50	<b>T7840-2027</b>	2.28	58	4.29	109

**ORFS****T6840****O RING  
FACE SEAL****HOSE  
SIZE****THRD  
SIZE****TUBE  
SIZE****DASH  
SIZE****MALE  
HEX****ORFS  
MALE**

DN

inch

inch

inch

-

**HM-SPANNER**

inch

mm

**PART NO****CA**

inch

mm

**L**

inch

mm

19

3/4

1.3/16

3/4

-1219

1.1/4

32

**T6840-1219**

1.85

47

3.90

99

25

1

1.7/16

1

-1623

1.1/2

38

**T6840-1623**

2.05

52

4.61

117

31

1.1/4

1.11/16

1.1/4

-2027

2

50

**T6840-2027**

2.24

57

4.92

125

38

1.1/2

2

1.1/2

-2432

2.3/16

55

**T6840-2432**

2.01

51

5.47

139