


T2150




CODE 61 FLANGE 45° TUBE BEND

PART NO	CA		L		DL	
	inch	mm	inch	mm	inch	mm
T2150-0808	1.93	49	2.91	74	0.79	20
T2150-0812	2.01	51	2.99	76	0.94	24
T2150-1010	2.20	56	3.43	87	0.94	24
T2150-1210	2.32	59	3.50	89	1.02	26
T2150-1212	2.56	65	3.74	95	1.02	26
T2150-1216	2.68	68	3.86	98	1.18	30
T2150-1612	2.95	75	4.17	106	1.10	28
T2150-1616	3.19	81	4.41	112	1.18	30
T2150-1620	3.27	83	4.49	114	1.26	32
T2150-1624	3.35	85	4.57	116	1.57	40
T2150-2016	3.46	88	5.39	137	1.18	30
T2150-2020	3.94	100	5.87	149	1.42	36
T2150-2024	4.06	103	5.98	152	1.57	40
T2150-2424	4.33	110	6.38	162	1.65	42
T2150-3232	5.91	150	8.11	206	2.28	58

SAE FLANGE

T7150

RYCO
 CODE 61
 CLAMPS - SEE PAGES
 442 & 443
 O RING NOT SUPPLIED



HOSE SIZE		NOM. FLANGE SIZE	DASH SIZE	CODE 61 FLANGE 45° TUBE BEND						
DN	inch	inch		PART NO	CA		L		DL	
					inch	mm	inch	mm	inch	mm
12	1/2	1/2	-0808	T7150-0808	1.93	49	3.03	77	0.79	20
12	1/2	3/4	-0812	T7150-0812	2.01	51	3.07	78	0.94	24
19	3/4	5/8	-1210	T7150-1210	2.32	59	3.54	90	1.02	26
19	3/4	3/4	-1212	T7150-1212	2.56	65	3.78	96	1.02	26
19	3/4	1	-1216	T7150-1216	2.68	68	3.90	99	1.18	30
25	1	1	-1616	T7150-1616	3.19	81	4.88	124	1.18	30
25	1	1.1/4	-1620	T7150-1620	3.27	83	4.96	126	1.26	32
31	1.1/4	1	-2016	T7150-2016	3.46	88	5.47	139	1.18	30
31	1.1/4	1.1/4	-2020	T7150-2020	3.94	100	5.94	151	1.42	36
31	1.1/4	1.1/2	-2024	T7150-2024	4.06	103	6.06	154	1.57	40
38	1.1/2	1.1/2	-2424	T7150-2424	4.33	110	6.54	166	1.65	42
38	1.1/2	2	-2432	T7150-2432	4.72	120	6.93	176	1.85	47
51	2	2	-3232	T7150-3232	5.91	150	8.39	213	2.28	58

SAE FLANGE

T6150

**RYCO
CODE 61
CLAMPS - SEE PAGES
O RING NOT SUPPLIED**



HOSE SIZE

**NOM.
FLANGE
SIZE**

**DASH
SIZE**

**CODE 61 FLANGE
45° TUBE BEND**

DN	inch			PART NO	CA		L		DL	
	inch	inch			inch	mm	inch	mm	inch	mm
19	3/4	3/4	-1212	T6150-1212	2.68	68	4.72	120	1.02	26
19	3/4	1	-1216	T6150-1216	2.76	70	4.80	122	1.18	30
25	1	1	-1616	T6150-1616	3.27	83	5.87	149	1.18	30
25	1	1.1/4	-1620	T6150-1620	3.35	85	5.94	151	1.26	32
31	1.1/4	1.1/4	-2020	T6150-2020	4.02	102	6.69	170	1.50	38
31	1.1/4	1.1/2	-2024							
38	1.1/2	1.1/2	-2424	T6150-2424	4.57	116	8.03	204	1.65	42
38	1.1/2	2	-2432							
51	2	2	-3232	T6150-3232	5.91	150	10.04	255	2.28	58